

MINISTRY OF HEALTH

PHARMACY AND POISONS BOARD

RAPID ALERT NOTIFICATION OF A QUALITY DEFECT / RECALL

Reference Number: 2024/005 1. To: World Health Organisation, Market Autorisation Holders, Distributors, **Retailers and Consumers** 2. Product Class of Defect: Class 1 3. Substandard 5. Marketing Authorisation Number: 17699 4. Product: Flamodip For use in humans 7. INN or Generic Name: Amlodipine 6. Brand/Trade Name: Flamodip 8. Dosage Form: **Tablets** 9. Strength: **5mg** 10. Batch number: FLD303 11. Expiry Date: **09/2026** 12. Pack size and Presentation: **3*10s** 13. Date Manufactured: **10/2023** 14. Marketing Authorisation Holder: Harleys Limited 15. Manufacturer: Medico Remedies Ltd, India Contact Person: Dr. Stephen Oduor 16. Recalling Firm (if different): **Harleys** Telephone: 0718184967 Limited 15.1 Where the defect is attributed to a Contact Person: Dr. Stephen Oduor manufacturing site, site where defect occurred: **MEDICO REMEDIES LTD** Telephone: **0718184967** Contact Person: Dr. Stephen Oduor Telephone: 0718184967 17. Recall Number Assigned (if available): **REC/2024/025**

- 18. Details of Defect/Reason for Recall: Wrong product (label and contents are different products). The label of the secondary package for Flamodip (Amlodipine) 5 Mg Tablets reads Flamodip-5 (Amlodipine) whereas the primary package reads Flaminopril-5 (Enalapril).
- 19. Information on distribution including exports (type of customer, e.g. hospitals): **consumer/patients**
- 20. Action taken by Issuing Authority: Mandatory recall of flamodip (Amlodipine) 5 Mg Tablets Batch No FLD303 Manufactured By Medico Remedies Pvt Ltd.
- 21. Proposed Action: by healthcare Professional Quarantine all the remaining stock and stop further distribution, sale, issuing, or use of the batch immediately. Await contact from Harleys Limited to arrange the return and Patients and members of the public who have the product batch are advised to immediately return the product to the nearest healthcare facility.

22. From (Issuing Authority): Kenya Pharmacy and Poisons	23. For Feedback
Board	Contact:
	pms@ppb.go.ke
	Telephone:
	0795743049
24. Date: 26th September 2024	