

# Medicine Quality Alert: Class II Medicines Recall of Claxy 1.2g (Amoxicillin Trihydrate BP and Clavulanate Potassium) Powder For Injection, Batch No. 09125P004, 09125P005, 09125P002, 09125P016 and 09125P007

The Pharmacy and Poisons Board has mandated the recall of Claxy 1.2g (Amoxicillin Trihydrate BP and Clavulanate Potassium) Powder For Injection, Batch No. 09125P004, 09125P005, 09125P002, 09125P016 and 09125P007.

From: Pharmacy and Poisons Board  
Published: 30<sup>th</sup> April 2026

**Recall Reference Number:** REC/2026/09

**Recall Classification:** Class II

**Recall Level:** Retail/Facility Level

**Manufacturer:** Scott Edil Advance Research Laboratories and Education Ltd

**LTR:** Syner-Med Pharmaceuticals (K) Limited

**Product name:** Claxy 1.2g

**Active Pharmaceutical Ingredient:** Amoxicillin Trihydrate BP and Clavulanate Potassium

**Affected counties:** All

## Affected Batches

S/N	Batch No	Mfg Date	Exp Date	Pack Size
1.	09125P002	05/2025	04/2027	Vial
2.	09125P004	05/2025	04/2027	Vial
3.	09125P005	05/2025	04/2027	Vial
4.	09125P007	06/2025	05/2027	Vial
5.	09125P016	08/2025	07/2027	Vial

## Brief description of the problem

Following Post Market Surveillance activities, the Board conducted sampling of Claxy 1.2g (Amoxicillin Trihydrate BP and Clavulanate Potassium) Powder for Injection, Batch No. 09125P004, 09125P005, 09125P002, 09125P016 and 09125P007. Upon analysis, the product batches failed to comply with the specifications of the **physical appearance** whereby a light-yellow coloration was observed upon reconstitution.

## Action for healthcare professionals

Quarantine all remaining stock and stop further distribution, sale, issuing, or use of Claxy 1.2g (Amoxicillin Trihydrate BP and Clavulanate Potassium) Powder for Injection, Batch no. 09125P004, 09125P005, 09125P002, 09125P016 and 09125P007 immediately, and contact Syner-Med Pharmaceuticals (K) Limited to arrange return.

**Action for patients and caregivers**

Patients are advised to talk to their healthcare professional if they have the above batch of Claxy 1.2g (Amoxicillin Trihydrate BP and Clavulanate Potassium) Powder for Injection, Batch no. 09125P004, 09125P005, 09125P002, 09125P016 and 09125P007.

**Further Information**

For any inquiries on consignments please contact Syner-Med Pharmaceuticals (K) Limited, by email at [info@syner-medkenya.com](mailto:info@syner-medkenya.com) or via telephone at 020-8155282

Promptly report any case/s of suspected substandard and falsified products or adverse reactions or insufficient control of symptoms to the nearest healthcare facility or the Pharmacy and Poisons Board through the following channels:

- <https://pv.pharmacyboardkenya.org/users/mpublic>
- USSD code at \*271#
- Email [pv@ppb.go.ke](mailto:pv@ppb.go.ke) or [pms@ppb.go.ke](mailto:pms@ppb.go.ke)
- Telephone No. 0795743049
- Mobile application: mPvERS both Android and iOS

For any further enquiries and feedback on the product recall, contact the post-marketing surveillance unit at the Pharmacy and Poisons Board via email at [pms@ppb.go.ke](mailto:pms@ppb.go.ke)